ELSEVIER

Nuclear Engineering and Design 154 (1995) 401–402

Nuclear Engineering and Design

Author Index of Volume 154

Adelhelm, C., see Alsmeyer, H. 154 (1995) 61
Almenas, K., see di Marzo, M. 154 (1995) 119
Alsmeyer, H. and W. Tromm, Concept of a core cooling system and experiments performed 154 (1995) 69
Alsmeyer, H., C. Adelhelm, H.-G. Dillmann, J.J. Foit, M. Heinle, W. Ratajczak, H. Schneider, G. Schumacher, A. Skokan, S. Stiefel and W. Tromm, BETA experiments on melt–concrete interaction: the role of zirconium and the potential sump water contact during core melt-down accidents 154 (1995) 61
Anderson, D.R., see Helton, J.C. 154 (1995) 251

Baker, B.L., see Helton, J.C. 154 (1995) 251
Bean, J.E., see Helton, J.C. 154 (1995) 251
Berglund, J.W., see Helton, J.C. 154 (1995) 251
Beyeler, W., see Helton, J.C. 154 (1995) 251
Blomstrand, J., B. Lüdtke, R. Lundmark and H. Sonntag, Core stability tracking of the KKB BWR in recent years 154 (1995) 27
Brockmeier, U., A. Schaffrath and H. Unger, Verification of the two-phase stratified-flow model in ATHLET by separate effect tests 154 (1995) 43

Chen, W., see Xue, M.D. 154 (1995) 231
Cheng, S.C., see Vasić, A.Z. 154 (1995) 109
Clausse, A., see Herrero, V.A. 154 (1995) 183
Cüppers, H.H., see Eibl, J. 154 (1995) 203

Dillmann, H.-G., see Alsmeyer, H. 154 (1995) 61
di Marzo, M., K. Almenas and S. Gopalnarayanan, Core to surge-line energy transport in a severe accident scenario 154 (1995) 119
Doshi, J.B., see Prasad, R.O.S. 154 (1995) 381
Dubourg, M., Solution to level 3 dismantling of gas-cooled reactors: the graphite incineration 154 (1995) 73

Eibl, J. and H.H. Cüppers, Inherently safe containments for nuclear power plants 154 (1995) 203

Foit, J.J., see Alsmeyer, H. 154 (1995) 61
Forsberg, K., see Limbäck, M. 154 (1995) 169
Forsberg, K., M. Limbäck and A.R. Massih, A model for uniform Zircaloy clad corrosion in pressurized water reactors 154 (1995) 157
Fukuda, K., see Rao, Y.F. 154 (1995) 133
Futakawa, M., see Ishihara, M. 154 (1995) 83

Garner, J.W., see Helton, J.C. 154 (1995) 251
Gopalnarayanan, S., see di Marzo, M. 154 (1995) 119
Groeneveld, D.C., see Vasić, A.Z. 154 (1995) 109
Guido-Lavalle, G., see Herrero, V.A. 154 (1995) 183

Heinle, M., see Alsmeyer, H. 154 (1995) 61
Helton, J.C., D.R. Anderson, B.L. Baker, J.E. Bean, J.W. Berglund, W. Beyeler, J.W. Garner, H.J. Iuzzolino, M.G. Marietta, R.P. Rechard, P.J. Roache, D.K. Rudeen, J.D. Schreiber, P.N. Swift, M.S. Tierney and P. Vaughn, Effect of alternative conceptual models in a preliminary performance assessment for the waste isolation pilot plant 154 (1995) 251
Herrero, V.A., G. Guido-Lavalle and A. Clausse, Non-equilibrium effects in void fraction distribution 154 (1995) 183
Hwang, K.C., see Xue, M.D. 154 (1995) 231

Ishihara, M., T. Iyoku and M. Futakawa, Evaluation of aseismic integrity in the HTTR core-bottom structure IV. Structural integrity of connecting elements between graphite components 154 (1995) 83
Itoh, J., see Naito, N. 154 (1995) 97
Iuzzolino, H.J., see Helton, J.C. 154 (1995) 251
Iyer, K., see Prasad, R.O.S. 154 (1995) 381
Iyoku, T., see Ishihara, M. 154 (1995) 83

Kaneshima, R., see Rao, Y.F. 154 (1995) 133
Kato, S., see Kraemer, W. 154 (1995) 17
Keheley, T., see Kraemer, W. 154 (1995) 17

Kirmse, R., W. Pointner, H.G. Sonnenburg and F. Steinhoff, Small-break loss-of-coolant accident analysis for pressurized water reactors with an advanced drift-flux model in ATHLET 154 (1995) 23
Kraemer, W., G. Proebstle, W. Uebelhack, T. Keheley, K. Tsuda and S. Kato, The ULTRAFLOW spacer—an advanced feature of ATRIUM fuel assemblies for boiling water reactors 154 (1995) 17

Lee, B.Y. and Z.P. Luo, Study on non-minimum phase reactor system 154 (1995) 211
Limbäck, M., see Forsberg, K. 154 (1995) 157
Limbäck, M., K. Forsberg and L. Nordström, Modelling of PWR cladding corrosion in mixed core situations 154 (1995) 169
Llambias, J.M., The use of the uniform risk spectra in the seismic PSA for a PWR power station 154 (1995) 193
Lundmark, R., see Blomstrand, J. 154 (1995) 27
Luo, Z.P., see Lee, B.Y. 154 (1995) 211
Lüdtke, B., see Blomstrand, J. 154 (1995) 27

Makino, M., see Naito, N. 154 (1995) 97
Marietta, M.G., see Helton, J.C. 154 (1995) 251
Massih, A.R., see Forsberg, K. 154 (1995) 157
Mavko, B., see Parzer, I. 154 (1995) 51
Monta, K., see Naito, N. 154 (1995) 97

Naito, N., J. Itoh, K. Monta and M. Makino, An intelligent human–machine system based on an ecological interface design concept 154 (1995) 97
Nordström, L., see Limbäck, M. 154 (1995) 169

Parzer, I., S. Petelin and B. Mavko, Feed-and-bleed procedure mitigating the consequences of a steam generator tube rupture accident 154 (1995) 51
Petelin, S., see Parzer, I. 154 (1995) 51
Pointner, W., see Kirmse, R. 154 (1995) 23
Prasad, R.O.S., J.B. Doshi and K. Iyer, A numerical investigation of nuclear coupled density wave oscillations 154 (1995) 381
Proebstle, G., see Kraemer, W. 154 (1995) 17

Rao, Y.F., K. Fukuda and R. Kaneshima, Analytical study of coupled neutronic and thermodynamic instabilities in a boiling channel 154 (1995) 133
Ratajczak, W., see Alsmeyer, H. 154 (1995) 61
Rechard, R.P., see Helton, J.C. 154 (1995) 251
Roache, P.J., see Helton, J.C. 154 (1995) 251
Rudeen, D.K., see Helton, J.C. 154 (1995) 251

Schaffrath, A., see Brockmeier, U. 154 (1995) 43
Schneider, H., see Alsmeyer, H. 154 (1995) 61
Schreiber, J.D., see Helton, J.C. 154 (1995) 251
Schumacher, G., see Alsmeyer, H. 154 (1995) 61
Skokan, A., see Alsmeyer, H. 154 (1995) 61
Sonnenburg, H.G., see Kirmse, R. 154 (1995) 23
Sonntag, H., see Blomstrand, J. 154 (1995) 27
Steinhoff, F., see Kirmse, R. 154 (1995) 23
Stevanovic, V. and M. Studovic, A simple model for vertical annular and horizontal stratified two-phase flows with liquid entrainment and phase transitions: one-dimensional steady state conditions 154 (1995) 357
Stiefel, S., see Alsmeyer, H. 154 (1995) 61
Studovic, M., see Stevanovic, V. 154 (1995) 357
Swift, P.N., see Helton, J.C. 154 (1995) 251

Takase, K., Experimental and analytical studies on turbulent heat transfer performance of a fuel rod with spacer ribs for high temperature gas-cooled reactors 154 (1995) 345
Tenschert, J., HDR test series E33.1/2 for investigation of contact condensation processes in horizontal pipes during emergency core cooling injection 154 (1995) 1
Tierney, M.S., see Helton, J.C. 154 (1995) 251
Tromm, W., see Alsmeyer, H. 154 (1995) 61
Tromm, W., see Alsmeyer, H. 154 (1995) 69
Tsuda, K., see Kraemer, W. 154 (1995) 17

Uebelhack, W., see Kraemer, W. 154 (1995) 17
Unger, H., see Brockmeier, U. 154 (1995) 43

Vasić, A.Z., S.C. Cheng and D.C. Groeneveld, Heat transfer for steam at high temperatures 154 (1995) 109
Vaughn, P., see Helton, J.C. 154 (1995) 251

Wakabayashi, T., see Yamaoka, M. 154 (1995) 239
Wei, X., see Xu, Y. 154 (1995) 219

Xu, Y., X. Wei and Z. Zhang, The fuel assembly of the 5 MW_t Nuclear Heating Reactor 154 (1995) 219
Xue, M.D., W. Chen and K.C. Hwang, Stresses at the intersection of two cylindrical shells 154 (1995) 231

Yamamoto, T., Application of time-dependent boundary-fitted curvilinear coordinate system for kinetic analysis of aqueous fuel solution sloshing behaviour 154 (1995) 145
Yamaoka, M. and T. Wakabayashi, Study on super-long-life cores loaded with minor actinide fuel 154 (1995) 239

Zhang, Z., see Xu, Y. 154 (1995) 219

ELSEVIER

Nuclear Engineering and Design 154 (1995) 403–404

Fusion Engineering and Design

Subject Index of Volume 154

Thermal and fluid design

Verification of the two-phase stratified-flow model in ATHLET by separate effect tests, U. Brockmeier, A. Schaffrath and H. Unger 154 (1995) 43

Engineering mechanics

Stresses at the intersection of two cylindrical shells, M.D. Xue, W. Chen and K.C. Hwang 154 (1995) 231

Mechanical design, component fabrication and testing

HDR test series E33.1/2 for investigation of contact condensation processes in horizontal pipes during emergency core cooling injection, J. Tenschert 154 (1995) 1

Feed-and-bleed procedure mitigating the consequences of a steam generator tube rupture accident, I. Parzer, S. Petelin and B. Mavko 154 (1995) 51

Evaluation of aseismic integrity in the HTTR core-bottom structure IV. Structural integrity of connecting elements between graphite components, M. Ishihara, T. Iyoku and M. Futakawa 154 (1995) 83

Reactor concepts and systems analysis

Feed-and-bleed procedure mitigating the consequences of a steam generator tube rupture accident, I. Parzer, S. Petelin and B. Mavko 154 (1995) 51

Solution to level 3 dismantling of gas-cooled reactors: the graphite incineration, M. Dubourg 154 (1995) 73

The use of the uniform risk spectra in the seismic PSA for a PWR power station, J.M. Llambias 154 (1995) 193

Study on non-minimum phase reactor system, B.Y. Lee and Z.P. Luo 154 (1995) 211

Structural design, construction methods and testing

Inherently safe containments for nuclear power plants, J. Eibl and H.H. Cüppers 154 (1995) 203

Core physics and fuel design

The ULTRAFLOW spacer—an advanced feature of ATRIUM fuel assemblies for boiling water reactors, W. Kraemer, G. Proebstle, W. Uebelhack, T. Keheley, K. Tsuda and S. Kato 154 (1995) 17

Small-break loss-of-coolant accident analysis for pressurized water reactors with an advanced drift-flux model in ATHLET, R. Kirmse, W. Pointner, H.G. Sonnenburg and F. Steinhoff 154 (1995) 23

Core stability tracking of the KKB BWR in recent years, J. Blomstrand, B. Lüdtke, R. Lundmark and H. Sonntag 154 (1995) 27

BETA experiments on melt–concrete interaction: the role of zirconium and the potential sump water contact during core melt-down accidents, H. Alsmeyer, C. Adelhelm, H.G. Dillmann, J.J. Foit, M. Heinle, W. Ratajczak, H. Schneider, G. Schumacher, A. Skokan, S. Stiefel and W. Tromm 154 (1995) 61

Concept of a core cooling system and experiments performed, H. Alsmeyer and W. Tromm 154 (1995) 69

The fuel assembly of the 5 MW_t Nuclear Heating Reactor, Y. Xu, X. Wei and Z. Zhang 154 (1995) 219

Study on super-long-life cores loaded with minor actinide fuel, M. Yamaoka and T. Wakabayashi 154 (1995) 239

Nuclear safety

An intelligent human–machine system based on an ecological interface design concept, N. Naito, J. Itoh, K. Monta and M. Makino 154 (1995) 97

Thermal-hydraulics and safety

Heat transfer for steam at high temperatures, A.Ž. Vasić, S.C. Cheng and D.C. Groeneveld 154 (1995) 109
Core to surge-line energy transport in a severe accident scenario, M. di Marzo, K. Almenas and S. Gopalnarayanan 154 (1995) 119
Analytical study of coupled neutronic and thermodynamic instabilities in a boiling channel, Y.F. Rao and R. Kaneshima 154 (1995) 133
An application of time-dependent boundary-fitted curvilinear coordinate system for kinetic analysis of aqueous fuel solution sloshing behaviour, T. Yamamoto 154 (1995) 145
A model for uniform Zircaloy clad corrosion in pressurized water reactors, K. Forsberg, M. Limbäck and A.R. Massih 154 (1995) 157
Modelling of PWR cladding corrosion in mixed core situations, M. Limbäck, K. Forsberg and L. Nordström 154 (1995) 169
Non-equilibrium effects in void fraction distribution, V.A. Herrero, G. Guido-Lavalle and A. Clausse 154 (1995) 183
Effect of alternative conceptual models in a preliminary performance assessment for the waste isolation pilot plant, J.C. Helton, D.R. Anderson, B.L. Baker, J.E. Bean, J.W. Berglund, W. Beyeler, J.W. Garner, H.J. Iuzzolino, M.G. Marietta, R.P. Rechard, P.J. Roache, D.K. Rudeen, J.D. Schreiber, P.N. Swift, M.S. Tierney and P. Vaughn 154 (1995) 251
Experimental and analytical studies on turbulent heat transfer performance of a fuel rod with spacer ribs for high temperature gas-cooled reactors, K. Takase 154 (1995) 345
A simple model for vertical annular and horizontal stratified two-phase flows with liquid entrainment and phase transitions: one-dimensional steady state conditions, V. Stevanovic and M. Studovic 154 (1995) 357
A numerical investigation of nuclear coupled density wave oscillations, R.O.S. Prasad, J.B. Doshi and K. Iyer 154 (1995) 381